

# BEST AVAILABLE COPY

## SEARCH

Class	Sub.	Date	Exmr.
604	96.01		
	103.17		
	103.06		
	103.11		
	103.12		
	103.13		
	103.14	6/26/03	SK
	update	12/2/03	SK
	update	6/2/04	SK
	update	11/10/04	SK

## INTERFERENCE SEARCHED

Class	Sub.	Date	Exmr.
	same as above	12/2/03	SK
	update	11/10/04	SK

## SEARCH NOTES

(List databases searched. Attach search strategy inside.)

	Date	Exmr.
<u>East</u> balloonadj catheter and radiopaque	6/26/03	SK
update as above	12/2/03	SK

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**